

湖西データ

20230801-

Date	湖西 JST	DS(Hz)他	作手(WEB ページより)
8 月 01	000217	Tr No Head long >7s	
	000246	Tr	000246
	023113.295	-50	
	023556.873	80	
	023605.873	-35	
	024711	Tr No Head long >30s	
			024902
	051352.306	160	051352
	051611.084	140	
	051637	Tr	
	051823	Tr No Head	
	052907	Tr	
	053133	Tr	
	065825.193	80	065825
			090658
	110641.002	60	
	212332.945	180 long >14s	
	225216.870	70	225217
	225403	Tr	
	230230	Tr	
	230716	Tr	230715
	231831	No Head Tr	
	231838.192	70	
	233213	Tr	
	233403.102	70	233403
	233847	Tr	
02	020342.401	110 +long >15s	
	030148	Tr	030148
	035406.808	-40	
	041249.071	110	
	041428	Tr	
			041448
	041523.040	80	
	043207.723	100	
	043315.863	130	043315
	045236	No Head Tr long >11s	045235
	051607.328	110	
	051951.778	110	051951

	060318.175	80	
	060407.324	50	
	060416.743	80	
	060853	No Head Tr long >20s	
	064306	Tr	
	064534	No Head Tr long >13s	
	064846	Tr	
	070430.799	-40 + long >19s	070430
	070649	Tr	075201
	湖西 data 喪失		145822
			205615
			212306
			234219
			234741
03			003659
			003728
			005121
	040146	Tr	
	040319.850	220	040320
	040851	Tr	
	042311	Tr	
	042507	Tr	
	042904.740	260	042904
	042916.096	100	
	051410.544	140	
	051651.566	90	
	052616.656	150	052616
	052759.999	80 + longTr >4s	052800 long >4s
	054413	Tr	
			105759 High D.S. >500
	173648.525	1300 High D.S.	
	203229	Tr	203228
	235105	No Head Tr long >14s	
	235444.631	80 + longTr >12s	235444
04	000421	No Head Tr >45s	
	000549	Tr	
	000859	Tr	
			000969
		—	010706
	021415	Tr	
			021513

	021626	Tr	
	022255	Tr	
	022409	Tr long >6s	022408 long >4s
	022255	Tr	
	030438.319	100	
			030514
	031253.404	60	
	031309	Tr	031308
	031515	Tr	
	040621.375	90	040621
	040639.963	60	
	080354	Tr	080354
	113425	Tr	113425
	213452.322	60	
05	024653	Tr	
	024839	Tr	
	040502	No Head Tr >4.5s	
	040503.464	40	
	040836	weak Tr	040836
	051819.924	60	051821
	063528.122	140	
	063723	Tr	
	094311.396	40	094311
	095326	Tr	095325
06			000653
	015800.470	50	
	021221.900	140	
			021555
	032516.393	220	032516
	034441	Tr	
	034718	Tr	
			034813
	034837	Tr long >8s	
	043217.273	80	043217
	043525	Tr	
	053127.904	50	053128
	053540.312	80	
	065421	No Head Tr long >17s	
	070401.083	280	070401
	070811	Tr	
	110414.798	80	110414

			225833
	230745	Tr	230744
	235425.771	80	235426
	235427.639	70	235427
	235445	Tr	
07			000330
	000621	Tr	
	000643.893	120	
	011112	No Head Tr	
	011237.633	-40	
	011801.445	60	
	012159	Tr long 1>31s	012158
			030326
	030517	No Head Tr >4s	
	030609.127	130	
	054139.013	60	
	060849	No Head Tr >12s	
	065948.088	80	065946
	070133.888	140	070133
	072525.603	80	
	072832.052	190	072831
	090510.768	120	
	090816.148	190	
	101109	Tr	
	101110	Tr(強度。継続時間同上)	
	115906	No Head Tr >41s	115906
	163953	No Head Tr	163953
	163953.952	70 + long >5s	
	202139	>1000 ~ -70	
08			003843
	004727.093	220 ~ -70	
	012728.411	70	
	024334.269	70	
	024717.354	100	024717
	030331.467	100	030331
	045149	No Head Tr >4.9s	
	045345	Tr	
	050644.343	60	
	053628.889	150	053628
	073233.685	>900	

	073432.079	50	073432
	083730	Tr	
			083808
	085145.773	>350 + longTr >26s	085145
			180038
	220716.628	60	220716
	230530.260	60	230530
	231626.375	180	231626
	235855.954	660	232855
09	014220.341	110	
	014308	Tr	
			014548
	014550.960	100	
	014856	Tr	
	035700	Tr	
	044536	Tr	
	044841	Tr	044840
	053119.155	100	
	053715.220	60	
	074152	Tr	
	074300	Tr	
	074724	Tr	
	082319.291	100 + > 14s	
	082401	No HeadTr >6s	
	090616.661	270 + lomg >5s	090616
	093106	No Head Tr + >25s	
	093214.476	100	
	093523.128	110	
	113110.007	410	
	123816	No Head Tr + >8s	
	134514	No Head Tr + >21s	
	184606.043	100	
	195301.719	50	
	232624.712	250	232624
	233607.353	560	233607
10	001528	No Head Tr + >20s	001527
	001744	Tr	
	035342.493	100	035342
	040439	No Head Tr + >39s	
	070808	Tr	
	082402	Tr	

	082455	Tr	082454
	093433	Tr	043932
	104538	No Head Tr + >23s	
	11074555	No Head Tr + >15s	
	124609	No Head Tr + >39s	
	124609.301	100	
	134657	No Head Tr	
	134657.343	1100	
	211447	No Head Tr + >41s	
	213213	No Head Tr	
	213322.535	80 ~ -50	
	213711	Tr	
	230141	Tr	
	230145.483	110	
11	023525	No Head Tr	023525
	023813	Tr	
	030823	No Head Tr + >8s	
			030510
	032710.089	-60	032710
	033908	Tr	
			065617
	120338.041	260	
	123309.812	600	
	130522.070	100	
	130610.767	90	
	205649	weak Tr	205649
	212630	Tr	
			212830
	215520.027	270	215519
			232309
12	013342.979	160	013342
	013343	No Head Tr + >33s	
	013420	Tr	013420
	015146	70	015145
	015405	Tr	
	015548	Tr	
	022544.553	70	
	022908.729	150	022908
			024516
	035727	Tr	
			035237

	092336	Tr	
	135302.846	100	135302
	135548	Tr	
	204222.060	100	204222
	213851.124	long >11s610 +	213851
	222216.773	290	222216
	225310.906	110 ~ -50	225310
	225330	Tr	
	230844.599	550	230844
	231558	No Head Tr	
	231558.947	150	231558
			231625
13	020205	Tr	020205
	020709	No Head Tr >9s	020709
	020801	No Head Tr	
	034244.308	Tr long >6s	
	034840	No Head Tr >11s	
	034859.453	60 + long >6s	
	034921	No Head Tr >8s	
	054502	No Head Tr + >58s	
	062248.289	130	
	073328.282	180	
	073533	Tr	
	093154	No Head Tr	
	093154.581	110 + long >23s	093154
	093637	No Head Tr >25s	
	101652	No Head Tr + >18s	
	102714.803	210	102714
	102745	No Head Tr >4s	
	104220	No Head Tr >34s	
	104510	No Head Tr >34s	
	105143	No Head Tr >78s	105142
	111105.584	60 + long >5s	111105
	115229.374	90	
	115607.466	80	
			115613
	120235.843	70	
			120330
	120540.041	190	
	122440	Tr	
	122611	No Head Tr	

	122844	No Head Tr >11s	122844
	131100	No Head Tr >37s	
	206820	weak Tr	205819
	205908.597	120	205908
	210206.720	80	210206
	212622	No Head Tr	212622
	215717.439	>1500	215717
	220702	No Head Tr >29s	220702
	220702.411	130	
	221837	No Head Tr >32s	
	222108.577	190	222108
	224509.050	220 + long >8s	224508
	225112	No Head Tr +22s	225112
	230914.975	160	230914
	233547.479	160	
	233755.400	>1200	
14	002112.489	90	
	005455.228	180	
	012222	No Head Tr >11s	
	012827	No Head Tr >33s	
	013352	No Head Tr >23s	
	013728.122	950	
	013830.831	220	
	013841.655	60	
	013858.345	50	
	030545	No Head Tr	
	044311	Tr	
	044342.138	140	044342
	044616.800	200	
	065406.552	140	065406
	093137	No Head Tr	
	093407	No Head Tr	093406
	125541	No Head Tr >42s	
	125541.171	60	
	140250	No Head Tr >41s	
	140251.611	520	
	201206	No Head Tr	201206
	201206.657	270	
15	021535	No Head Tr >83s	
	023234.018	65	023233
	024756	No Head Tr	

	171627.648	60	171627
	201144.584	60	201144
	221921	weak Tr	221921
16			002900
	005607	Tr	005606
	013836	No Head Tr	013837
	025218	No Head Tr	025216
	063812	Tr	063812
	072893	weak Tr	072802
17			003528
	013346.995	Tr	013347
	025541.653	Tr	
	025800.680	50	025800
	033343	Tr	033343
	093333	Tr	093332
	100444.720	>1500	100444
	100511	Tr	
	100814	Tr	
	124822.922	100	124822
	193532.792	190 + long >16s	193532
18	003340	Tr	
			003946
			031241
	032000	Tr	
	064749	Tr	
	074849.873	60	
	122105	Tr	
	122902.180	100	
	125134.029	110	125133
	202247.846	130	202247
	215348.570	1200	215348
	215842	Tr	
	230345	Tr	230346
	235356.453	50	235356
19	030509.156	70	
			031114
	053235.555	230	053235
	074333	No Head Tr >28s	
			074733
	165448	No Head Tr	165447

SonotaCo Net –
3.0mag

	224132	Tr	
	224142	Tr	
20	010704.818	90	010704
	012337	Tr	
			012429
	014841.129	60	014840
	034550.127	50	034550
	040306	Tr	
	040322.248	55	
	065846.334	80	065846
	083447	Tr	083446
21	000322	Tr	
	005704.773	70	
	010809	No Head Tr	
	020521.614	?	
	024329	Tr	
			024354
	041915	No Head Tr >4s	041915
	052158	No Head Tr >40s	
	064555.581	60	064555
	065341.760	40 3s later No Head Tr	065341
			100336
	111720	No Head Tr	111719
	120826	Tr	120826
22			012208
	013554	Tr	013553
	015548	No Head Tr	015548
	015858.207	50	
	025905	Tr	025905
	031349	No Head Tr 4s	031347
			043130
	043547	Tr	
	43736.838	60	043736
	112919.923	200	112919
	233923.034	180	233922
23	014301.049	70	014301
	014409.916	50	
	015144	No Head Tr	015144
	051840.460	100	051840
	070155	No Head Tr >13s	
	110415.682	70	110415

	132754	Tr	132753
	143440.390	570	143440
	234335	Tr	
			234744
24			001740
			003633
	010435.520	400	010435
	015921	Tr	015921
	022844	Tr	022844
	035942	Tr	035942
	061627	Tr	
	061829	Tr	
	063807	Tr	
	133810.766	70	133810
	175830.125	80	175829
			203430
25	015537.766	220	015537
	015730	Tr	
	031933.906	60	031933
	034620	No Head Tr >28s	
	040417.696	390 + long 5s	040417
	040945.184	-40	
			053130
	053149	Tr	
	055346	Tr	055346
	062733	Tr	062733
	062935.098	260	
	074455	No Head Tr >6s	
	075151	No Head Tr >5s	
	075246	No Head Tr >6s	075246
	081656	No Head Tr	
	100712	Tr	
	100739.773	130	100739
	190830.521	100	
	225743.769	200	
	232105	Tr	232105
	232635.824	40	
26			011411
	011413	No Head Tr	
	012243.973	-70	012243
	012751.362	130	

	022719	No Head Tr	022719
	022719.500	100	
	024526.841	100	024526
	024708.730	100	
	033856.348	120	033856
	033934.839	70	
	070950	No Head Tr	070950
	104226.901	>500	
	湖西 HDSDR 不調		104514
27			025915
			031227
			043545
			074302
			075315
			093946
			103918
			121806
28			153524
			154301
			203342
29			005655
	065701.827	320	065701
	082745.075	100	082745
			104650
30			002509
	002536	Tr	
	020453	Tr	
	020535	Tr	
	020626	Tr	020625
	032352.873	Tr	032352
			040322
	051426	Tr	
	051617	Tr	
	055804.985	50	055805
	062448	No Head Tr	062447
	062751	Tr	
	063148	Tr	063147
	080227	Tr	
			081119
	085703.675	90	085703
	142212.793	90	

	200142.449	60	200142
			204124
	204611	Tr	
	225559	Tr	225558
31	045830.448	150	
	045858.515	460	045858
	071402.883	160	071402
	073139.900	200	073139
	073206	Tr	
	075855.321	140	075855
	080504.668	50	
			084738
	095910	No Head Tr	
			100117
	214505	Tr	214504